



ECCO[®]



FLEET SOLUTIONS

SOLUTIONS UTILITAIRES

FUHRPARK LÖSUNGEN

KEEPING YOU SAFE IN THE

SECURISER VOTRE SICHERHEIT AM

WORKPLACE

ENVIRONNEMENT DE TRAVAIL

ARBEITSPLATZ

At ECCO Safety Group we know that the fleet industry is the lifeline that feeds the vital organs of our economy. Vans deliver parcels to homes and businesses, take recovery services to people in need, transport plumbers to our houses and so much more.

ECCO Safety Group offers an extensive line of safety solutions that are ideally suited to fleet vehicles. The range comprises of high intensity LED warning lights to provide a hazard signal to approaching drivers, while our worklamps ensure that even in the lowest visibility, operators can clearly see what they are doing. ECCO Safety Group's reversing safety solutions include back-up alarms to warn other road users and pedestrians of a reversing vehicle, while the camera systems assist the driver in avoiding obstacles in their blind spots.

Chez ECCO Safety Group, nous savons que les véhicules utilitaires participent activement au bon fonctionnement de notre économie. Ce sont des utilitaires qui livrent les colis aux particuliers et aux entreprises, qui permettent aux plombiers d'intervenir dans nos maisons etc.

ECCO Safety Group offre une vaste gamme de solutions de sécurité adaptées aux véhicules utilitaires. La gamme comprend des feux de signalisation LED de haute intensité pour alerter les conducteurs approchant. Nos phares de travail garantissent une luminosité suffisante pour continuer à travailler dans des conditions de visibilité même réduites. Les solutions de sécurité d'ECCO Safety Group incluent des alarmes de recul pour alerter les piétons et les usagers de la route durant les marches arrières, ainsi que des systèmes de caméras de recul pour assister le conducteur.

Wir bei ECCO Safety Group wissen, das Transportgewerbe bildet die Lebensader für unsere Wirtschaft.

Es sind die Lieferfahrzeuge, die täglich Sendungen für den Privat – und Geschäftsbereich zustellen, und Servicefahrzeuge, die im täglichen Einsatz beim Handwerk nicht mehr wegzudenken sind.


ESG bietet eine große Palette von Sicherheitslösungen, maßgeschneidert für das Transportgewerbe. Das Programm umfasst sowohl qualitativ hochwertige LED Frontleuchten zur Warnung des entgegenkommenden Verkehrs als auch Rückfahrwarnlösungen, um andere Verkehrsteilnehmer wie Fußgänger auf sich aufmerksam zu machen. Kamerasysteme helfen dem Fahrer, Hindernisse im Tote-Winkel-Bereich rechtzeitig zu erkennen.



These are simply a selection of products that we have chosen to suit Fleet Vehicles. For our full comprehensive range, please refer to our websites and catalogues.

Ce catalogue présente une simple sélection de nos produits dédiés aux véhicules utilitaires. Pour notre gamme complète veuillez consulter nos sites internet et catalogues

Das sind nur einige Produkte, die wir für Ihr Fahrzeug vorschlagen. Eine umfassende Auswahl finden Sie auf unserer Internetseite und in unseren Katalogen.



Recommended installation location options
Options d'emplacement d'installation recommandées
Empfohlene Einbaumöglichkeiten

12+ Series

R65 LED Lightbar



12-30001-E
C Amber
T 16 LEDs
V 12-24
A 7.2
 ☑ R65, SAE Class I, CE, R10
 Ⓞ 3 Year



12-30002-E
C Amber
T 16 LEDs
V 12-24
A 7.2
 ☑ R65, SAE Class I, CE, R10
 Ⓞ 3 Year



12-30004-E
C Amber
T 16 LEDs, 2 WL, 2 AL
V 12-24
A 11.2
 ☑ R65, SAE Class I, CE, R10
 Ⓞ 3 Year



12-30005-E
C Amber
T 16 LEDs, 2 WL, 2 AL
V 12-24
A 11.2
 ☑ R65, SAE Class I, CE, R10
 Ⓞ 3 Year

OPTIONAL ACCESSORY EZ0006

ACCESSOIRE OPTIONNEL

AUF WUNSCH ERHÄLTliches



- Convenient and easy control
- 24 built-in flash patterns
- Simply plug-n-play

- Contrôle pratique et facile
- 24 modes de clignotement
- Prêt à l'emploi

- Praktische und einfache Bedienung
- 24 eingebaute Blitzmuster
- Einfach Plug-and-Play

ADDITIONAL OPTIONS

OPTIONS ADDITIONELLES

ZUSATZOPTIONEN



DIRECTIONAL



ICE OPTIC DIRECTIONAL



WORKLAMP/ALLEY LIGHT



STI

LIGHTBARS

RAMPES LUMINEUSES

LEUCHTBALKEN

13 Series

R65 LED Lightbar



- 770mm** # 13-00001-E
C Amber
T 24 LEDs
V 12-24
A 5.6
 ✓ R10, R65
 ⌚ 2 Year



- 1000mm** # 13-00003-E
C Amber
T 24 LEDs
V 12-24
A 5.6
 ✓ R10, R65
 ⌚ 2 Year



- 1250mm** # 13-00005-E
C Amber
T 24 LEDs
V 12-24
A 5.6
 ✓ R10, R65
 ⌚ 2 Year



- 1500mm** # 13-00007-E
C Amber
T 24 LEDs
V 12-24
A 5.6
 ✓ R10, R65
 ⌚ 2 Year

14 Series AXIOS™

R65 Modular LED Lightbar - "Populate your own bar"



- 1000mm** # 14-10001-V
C Amber
T 4 Directional LEDs
V 12-24
A Max 20
 ✓ R65, R10
 ⌚ 5 Year



- 1200mm** # 14-10002-V
C Amber
T 4 Directional LEDs
V 12-24
A Max 20
 ✓ R65, R10
 ⌚ 5 Year



- 1000mm** # 14-10005-V
C Amber
T 2 Beacon LEDs
V 12-24
A Max 20
 ✓ R65, R10
 ⌚ 5 Year



- 1200mm** # 14-10006-V
C Amber
T 2 Beacon LEDs
V 12-24
A Max 20
 ✓ R65, R10
 ⌚ 5 Year

ADDITIONAL OPTIONS



DIRECTIONAL
 12-24 VDC, 0.5 Amps
 Amber, Blue, Clear, Green, or Red

OPTIONS COMPLEMENTAIRES



WORKLAMP
 12-24 VDC, 0.9 Amps



BEACON
 12-24 VDC, 0.5 Amps
 Amber, Blue, Clear, Green or Red

ZUSATZOPTIONEN



ALLEY LIGHT
 12-24 VDC, 0.9 Amps



CENTRE ILLUMINATION
 12-24 VDC, 0.3-1.4 Amps

15L Series

R65 LED Lightbar



- 980mm** # 15L-01326-V
C Amber
T 12 LEDs with opal centre
V 12-24
A 4.8
 ☑ R10, R65
 ⌚ 2 Year Lightbar
 ⌚ 5 Year Electrical



- 1372mm** # 15L-01328-V
C Amber
T 16 LEDs with opal centre
V 12-24
A 6.4
 ☑ R10, R65
 ⌚ 2 Year Lightbar
 ⌚ 5 Year Electrical



- 1240mm** # 15L-01327-V
C Amber
T 12 LEDs with opal centre
V 12-24
A 4.8
 ☑ R10, R65
 ⌚ 2 Year Lightbar
 ⌚ 5 Year Electrical



- 1500mm** # 15L-01329-V
C Amber
T 16 LEDs with opal centre
V 12-24
A 6.4
 ☑ R10, R65
 ⌚ 2 Year Lightbar
 ⌚ 5 Year Electrical

65 Series

R65 LED Lightbar



- 630mm** # 65-30001-V
C Amber
T 8 LEDs
V 12-24
A 7.2
 ☑ R65 Class I, R10
 ⌚ 2 Year Lightbar
 ⌚ 5 Year Electrical



- 1275mm** # 65-30003-V
C Amber
T 8 LEDs
V 12-24
A 7.2
 ☑ R65 Class I, R10
 ⌚ 2 Year Lightbar
 ⌚ 5 Year Electrical



- 1063mm** # 65-30002-V
C Amber
T 8 LEDs
V 12-24
A 7.2
 ☑ R65 Class I, R10
 ⌚ 2 Year Lightbar
 ⌚ 5 Year Electrical



- 1590mm** # 65-30005-V
C Amber
T 12 LEDs
V 12-24
A 9.6
 ☑ R65 Class I, R10
 ⌚ 2 Year Lightbar
 ⌚ 5 Year Electrical


OTHER MOUNT & COLOUR OPTIONS AVAILABLE

DIFFERENTES OPTIONS DE MONTAGES ET DE COULEUR DISPONIBLES
WEITERE MONTAGE - UND FARBMOGLICHKEITEN ERHÄLTICH

MINIBARS & BEACONS

MINI RAMPES ET GYROPHARES

KLEINE LEUCHTBALKEN & BLITZLEUCHTEN



Recommended installation location options
Options d'emplacement d'installation recommandées
Empfohlene Einbaumöglichkeiten

5565 Series

R65 LED Minibar



382mm # **5565A-VA1**
C Amber
V 12-24
A 2.7
F 120 FPM x 4
X 1 Bolt
⊗ R65, R10, IP65
⌚ 3 Year



382mm # **5565CA-VA1**
C Amber
V 12-24
A 2.7
F 120 FPM x 4
X 1 Bolt
⊗ R65, R10, IP65
⌚ 3 Year

A500 Series

R65 LED Minibar



248mm # **A511.00.LDV**
C Amber
V 12-24
A 2.3
F 120 FPM x 2
X 1 Bolt
⊗ R65, R10
⌚ 3 Year



400mm # **A551.00.LDV**
C Amber
V 12-24
A 3.1
F 120 FPM x 2
X 1 Bolt
⊗ R65, R10, IP65
⌚ 3 Year

5550 Series

R65 LED Microbar



278mm # **5550A-VA1**
C Amber
V 12-24
A 2.7
F 120 FPM x 4
X 1 Bolt
⊗ R65, R10, IP65,
 CE, RoHS
⌚ 3 Year



278mm # **5550CA-VA1**
C Amber
V 12-24
A 2.7
F 120 FPM x 4
X 1 Bolt
⊗ R65, R10, IP65,
 CE, RoSH
⌚ 3 Year

A491 Series

R65 LED Minibar



420mm # **A491.00.LDV**
C Amber
V 12-24
A 1.0
F 120 FPM x 2
X 1 Bolt
⊗ R65, R10
⌚ 3 Year



420mm # **A491.40.LDV**
C Amber
V 12-24
A 1.0
F 120 FPM x 2
X 1 Bolt
⊗ R65, R10
⌚ 3 Year

OTHER MOUNT & COLOUR OPTIONS AVAILABLE

DIFFERENTES OPTIONS DE MONTAGES ET DE COULEUR DISPONIBLES
 WEITERE MONTAGE - UND FARBMOEGlichkeiten ERHALTLICH

400 Series

R65 LED Beacons



V11052

C Amber

V 12-24

A 0.7

F 125 FPM

X 1 Bolt

⊗ R65, R10

⌚ 3 Year



V11053

C Amber

V 12-24

A 0.7

F 125 FPM

X Magnetic

⊗ R65, R10

⌚ 3 Year

DB5000 Series

R65 LED Beacons



DB5007A

C Amber

V 12-24

A 1.4

F 125 FPM x 2

X Flexi 1 Bolt

⊗ R65, R10, IP65

⌚ 2 Year



DB5004A

C Amber

V 12-24

A 1.4

F 125 FPM x 2

X Magnetic

⊗ R65, R10, IP65

⌚ 2 Year

B190 Series

R65 LED Beacons



B190.00.LDV

C Amber

V 12-24

A 0.7

F 125 FPM x 2

X 3 Bolt

⊗ R65, R10

⌚ 3 Year



B194.70.LDV

C Amber

V 12-24

A 0.7

F 125 FPM x 2

X Magnetic

⊗ R65, R10

⌚ 3 Year



EB7181CA

C Amber

V 12-24

A 6.2

F 125 FPM

X 4 Bolt

⊗ R65 Class I, R10, IP55

⌚ 3 Year



EB7186AAA

C Amber

V 12-24

A 8.6

F 125 FPM

X 4 Bolt

⊗ R65 Class II, R10, IP55

⌚ 3 Year

Recommended installation location options

Options d'emplacement d'installation recommandées

Empfohlene Einbaumöglichkeiten



OTHER MOUNT & COLOUR OPTIONS AVAILABLE

DIFFERENTES OPTIONS DE MONTAGES ET DE COULEUR DISPONIBLES
WEITERE MONTAGE - UND FARBMOGLICHKEITEN ERHÄLTICH

DIRECTIONALS & WHITE LIGHTING

FEUX DE BALISAGE ET ÉCLAIRAGE BLANC

LED - BLITZMODULE/KENNZEICHENLEUCHTEN



ED5100CA

- C Amber
- V 10-30
- A 1.2
- X Surface/Bracket
- ⊗ R65, R10, IP67
- ⌚ 3 Year

AVAILABLE COLORS

Amber, Blue, Red & Amber/Blue



3812A

- C Amber
- V 12-48
- A 0.4
- X Surface/Bracket
- ⊗ R65, R10
- ⌚ 3 Year

AVAILABLE COLORS

Amber, Blue, Clear & Red



ED5000A

- C Amber
- V 12-24
- A 1.5
- X Surface/Bracket
- ⊗ R65, R10, IP67
- ⌚ 2 Year

AVAILABLE COLORS

Amber, Blue, Clear & Red



L94.00.LDV

- C Amber
- V 12-24
- A 1.2
- X Flush
- ⊗ R65, R10, IP67
- ⌚ 3 Year

AVAILABLE COLORS

Amber, Blue



ED3701A Single - or split-colour

- C Amber
- V 12-24
- A 0.9
- X Surface
- ⊗ R65, R10
- ⌚ 3 Year

AVAILABLE COLORS

Amber, Blue, Clear, Green & Red



ED3706A Solid - or split-colour

- C Amber
- V 12-24
- A 0.9
- X Multi
- ⊗ R65, R10, IP67
- ⌚ 3 Year

AVAILABLE COLORS

Amber, Blue, Clear, Green & Red



L95.00.LDV

- C Amber
- V 12-24
- A 0.6
- X Surface
- ⊗ R65, R10, IP67
- ⌚ 3 Year

AVAILABLE COLORS

Amber, Blue



L96.00.LDV

- C Amber
- V 12-24
- A 0.3
- X Surface
- ⊗ R65, R10, IP67
- ⌚ 3 Year

AVAILABLE COLORS

Amber, Blue



Where applicable, change A in part number to available colour




ED3315A

- C Amber
- V 12-24
- A 1.6
- ⊗ R10
- ⌚ 3 Year

Recommended installation location options

Options d'emplacement d'installation recommandées


Empfohlene Einbaumöglichkeiten



OTHER MOUNT & COLOUR OPTIONS AVAILABLE

DIFFÉRENTES OPTIONS DE MONTAGES ET DE COULEUR DISPONIBLES
WEITERE MONTAGE - UND FARBMOGLICHKEITEN ERHÄLTICH

Recommended installation location options
Options d'emplacement d'installation recommandées
Empfohlene Einbaumöglichkeiten



EW2019
V 12-24
A 0.4
L 600 Raw, 550 Effective
Flood
CE, IP67, RoHS
3 Year



EW2471
V 12-24
A 1.2
L 550 Raw, 500 Effective
Flood
CE, R10, IP67
3 Year



EW2481
V 12-24
A 1.2
L 600 Raw, 600 Effective
Flood
CE, R10, IP67
3 Year



EW2491
V 12-24
A 1.2
L 550 Raw, 450 Effective
Flood
CE, R10, IP67
3 Year



EW2411
V 12-24
A 1.3
L 1000 Raw, 900 Effective
Flood
IP67, CE, R10
3 Year



EW2451
V 12-24
A 2.2
L 1300 Raw, 1100 Effective
Flood
CE
3 Year



EW2461
V 12-24
A 3.2
L 650 Raw, 600 Effective
Flood
CE, IP67
1 Year



EW5430
V 10-30
A 2.4
L 2400 Effective
Main Beam Headlamp
CE, R10, R112, IP68
2 Year

OTHER LENGTH & TYPE OPTIONS AVAILABLE


AUTRES LONGUEURS ET OPTIONS DISPONIBLES
WEITERE LÄNGEN UND TYPEN ERHÄLTICH

CCTV, ALARMS & INTERIOR LIGHTS

CCTV, SYSTÈMES D'ALARME ET ECLAIRAGE INTÉRIEUR

KAMERASYSTEME, ALARME & INNENBELEUCHTUNG

Recommended installation location options
Options d'emplacement d'installation recommandées
Empfohlene Einbaumöglichkeiten



**OFFICIAL FORS
 ASSOCIATE SUPPLIER**



EC7000B-WK *Geminayc*
 *7.0" LCD colour system
 2.4 GHz digital wireless system
 Internal controller
 Includes monitor sunshade
 Two camera expandable
 Wireless system - reduces
 installation time
 One year warranty



K7000B *Geminayc*
 *7" LCD colour system
 CMOS 18 LED infrared
 camera
 Includes monitor
 sunshade
 Two camera expandable
 One year warranty



EK5001-FORS
 *7" LCD TFT colour screen
 3 Camera Kit, M1 DVR
 GPS for location tracking
 Adjustable image & recording
 quality, 64GB class 10 SD card
 4 sensors with audible
 warning and display overlay
 One year warranty



EK5002-FORS
 *7" LCD Touch colour screen
 3 Camera Kit, M1 DVR
 GPS for location tracking
 Adjustable image & recording
 quality, 64GB class 10 SD card
 4 sensors with audible
 warning and display overlay
 One year warranty



505-001
V 12-24
dB(A) 87
A 0.1
X 2 Bolt
 CE, e, UL, AMECA
 2 Year



SA950 **SMART ALARM**
V 12-24
dB(A) 82-102
A 0.4
X 2 Bolt
 CE, R10, UL, IP65
 2 Year



901N-001 **SMART ALARM**
V 12-24
dB(A) 82-107
A 0.3
X 2 Bolt
 CE, R10, UL, IP64
 ECCOLIFE™



EA9724 **SMART ALARM MULTI**
V 12-24
dB(A) 77-97
A 0.7
X 2 Bolt
 SAE J994 Type F,
 CE, R10, AMECA
 ECCOLIFE™

*Traduction disponible
 *Übersetzung verfügbar

OTHER CCTV & ALARM OPTIONS AVAILABLE

DIFFERENTS CCTV ET OPTIONS
 ANDERE KAMERASYSTEME UND ALARME ERHÄLTICH

Interior Lighting



12"
EW0116
T 18 LED
V 12
A 0.4
L 350 Raw, 350 Effective
Flood
CE, RoHS, IP65
3 Year



24"
EW0127
T 36 LED
V 24
A 0.4
L 700 Raw, 700 Effective
Flood
CE, RoHS, IP65
3 Year



4.5" CLEAR
EW0310
T 4 LED
V 12-24
A 0.1
L 100 Raw, 100 Effective
Flood
CE, RoHS
3 Year



7" CLEAR
EW0320
T 8 LED
V 12-24
A 0.1
L 200 Raw, 200 Effective
Flood
CE, RoHS,
3 Year



14" MODULAR FROST
EW0351
T 16 LED
V 12
A 0.5
L 300 Raw, 250 Effective
Flood
CE, RoHS
3 Year



CONNECT MULTIPLE UNITS TOGETHER
Multiple lengths available



13"
EW0700
T 6 LED
V 12-24
A 0.5
L 400 Raw, 350 Effective
Flood
CE, RoHS
3 Year



22"
EW0701
T 12 LED
V 12-24
A 0.9
L 1250 Raw, 1200 Effective
Flood
CE, RoHS
3 Year



5.5"
EW0400
T 10 LED
V 12-24
A 0.4
L 200 Raw, 200 Effective
Flood
CE, R10, RoHS, IP64
3 Year



12"
EW0401
T 22 LED
V 12-24
A 0.7
L 450 Raw, 450 Effective
Flood
CE, R10, RoHS, IP64
3 Year



Recommended installation location options
Options d'emplacement d'installation recommandées
Empfohlene Einbaumöglichkeiten

OTHER LENGTH & TYPE OPTIONS AVAILABLE

AUTRES LONGUEURS ET OPTIONS DISPONIBLES
WEITERE LÄNGEN UND TYPEN ERHÄLTICH

ESG[®]

ECCO SAFETY GROUP



Distributed by:
Distribué par:
Erhältlich von:



European Headquarters: Unit 1, Green Park, Coal Road, Leeds, LS14 1FB
+44 (0)113 237 5340 | sales@eccogroup.com | www.eccolink.co.uk

A Division of ESG | www.eccosafetygroup.com

MKT004