



INTERIOR LIGHTING



STRIP LIGHTING

EW0100 Series

Ideal for illuminating toolboxes, racking and small interior compartments, these convenient self-adhesive LED strips are available in various pre-configured lengths as well as 16' / 5m rolls. Featuring 1-watt LEDs, each strip can be spliced every 3 LEDs and preconfigured lengths are supplied with wire leads at each end allowing multiple units to be easily daisy-chained together.

Three 1-watt LEDs per 1.5" / 38mm

Self-adhesive utilising 3M high-bond tape

Wire leads at both ends allow multiple units to be connected (excludes EW0118 / 0128)

Spliceable every 3 LEDs

Available in 16' / 5m rolls

CE, RoHS, IP65

ACCESSORIES

EZ0112

Cap & wire for spliced sections



EZ0120

PIR Motion Sensor - 110° cone, adjustable sensitivity (automatically activates light when human movement is detected)





6" EW0115
 9 LEDs
 12 VDC
 0.2 Amps
 200 Raw Lumens
 200 Effective Lumens
 Flood Beam



8" EW0125
 9 LEDs
 24 VDC
 0.1 Amps
 200 Raw Lumens
 200 Effective Lumens
 Flood Beam



12" EW0116
 18 LEDs
 12 VDC
 0.4 Amps
 350 Raw Lumens
 350 Effective Lumens
 Flood Beam

12" EW0126
 18 LEDs
 24 VDC
 0.2 Amps
 350 Raw Lumens
 350 Effective Lumens
 Flood Beam



24" EW0117
 36 LEDs
 12 VDC
 0.7 Amps
 700 Raw Lumens
 700 Effective Lumens
 Flood Beam

24" EW0127
 36 LEDs
 24 VDC
 0.4 Amps
 700 Raw Lumens
 700 Effective Lumens
 Flood Beam



16' EW0118
 5M Roll
 12 VDC
 3.6 Amps
 Flood Beam



16' EW0128
 5M Roll
 24 VDC
 2.6 Amps
 Flood Beam



INTERIOR LIGHTING





EW0200 Series

Perfect for passenger compartment, sleeper cab and small interior compartment illumination, the EW0200 Series LED courtesy light range offers the choice of flush mount or surface mount models, round and rectangular housings, chrome or white bezels, as well as switched and non-switched models.

**Flush mount
(EW0210-221 only)**

**Surface mount
(EW0200/201 & EW0230-241 only)**

Switched and non-switched options

White or chrome bezel options

CE, RoHS

ACCESSORIES

EZ0120

PIR Motion Sensor - 110° cone, adjustable sensitivity (automatically activates light when human movement is detected)



DIMENSIONS

EW0200: 0.7 [18] D x 5.5 [140] Diameter
 EW0201: 0.7 [18] D x 7.1 [180] Diameter
 EW0210-0221: 0.8 [20] D x 2.8 [71] Diameter
 EW0230-0241: 2.4 [61] H x 4.6 [117] W x 0.7 [18] D



EW0200
 72 LEDs
 12-24 VDC
 0.4 Amps
 400 Raw Lumens
 400 Effective Lumens
 Flood Beam



EW0201
 108 LEDs
 12-24 VDC
 0.5 Amps
 750 Raw Lumens
 700 Effective Lumens
 Flood Beam



EW0210
 8 LEDs
 12 VDC
 0.1 Amps
 100 Raw Lumens
 50 Effective Lumens
 Spot Beam



EW0220
 7 LEDs
 12 VDC
 0.1 Amps
 50 Raw Lumens
 50 Effective Lumens
 Spot Beam



EW0211
 8 LEDs
 12 VDC
 0.1 Amps
 100 Raw Lumens
 50 Effective Lumens
 Spot Beam



EW0221
 7 LEDs
 12 VDC
 0.1 Amps
 50 Raw Lumens
 50 Effective Lumens
 Spot Beam



EW0230
 30 LEDs
 12-24 VDC
 0.2 Amps
 200 Raw Lumens
 200 Effective Lumens
 Flood Beam



EW0240
 30 LEDs
 12-24 VDC
 0.2 Amps
 150 Raw Lumens
 150 Effective Lumens
 Flood Beam



EW0231
 30 LEDs
 12-24 VDC
 0.2 Amps
 200 Raw Lumens
 200 Effective Lumens
 Flood Beam



EW0241
 30 LEDs
 12-24 VDC
 0.2 Amps
 150 Raw Lumens
 150 Effective Lumens
 Flood Beam



EW0300 Series

These surface mount rectangular LED interior lights are available in a variety of lengths and with either clear or frosted (diffused light) lenses. In addition the EW0351 features a modular design where multiple units can be connected together. Robust aluminium housings and concealed fasteners complete the package.

Surface mount with concealed fasteners (hardware included)

Aluminium housing with clear or frosted lenses

Modular design, connect up to four units with integrated bullet connectors (EW0351 only)

CE, RoHS

ACCESSORIES

EZ0120

PIR Motion Sensor - 110° cone, adjustable sensitivity (automatically activates light when human movement is detected)



EZ0351

Replacement bullet connectors (for use with EW0351 only, max four)



DIMENSIONS DIMENSIONES

EW0310 / 311: 1.3 [33] H x 4.5 [114] W x 0.5 [13] D
EW0320 / 321: 1.3 [33] H x 7 [178] W x 0.5 [13] D
EW0330 / 331: 1.3 [33] H x 9.5 [241] W x 0.5 [13] D
EW0340 / 341: 1.3 [33] H x 12 [305] W x 0.5 [13] D
EW0351: 1.3 [33] H x 13.7 [348] W x 0.5 [13] D
EW0351: 10.9 [277] W excluding endcaps





4.5" EW0310
 Clear
 4 LEDs
 12-24 VDC
 0.1 Amps
 100 Raw Lumens
 100 Effective Lumens
 Flood Beam



4.5" EW0311
 Frost
 15 LEDs
 12 VDC
 0.1 Amps
 100 Raw Lumens
 50 Effective Lumens
 Flood Beam



7" EW0320
 Clear
 8 LEDs
 12-24 VDC
 0.1 Amps
 200 Raw Lumens
 200 Effective Lumens
 Flood Beam



7" EW0321
 Frost
 30 LEDs
 12 VDC
 0.2 Amps
 150 Raw Lumens
 100 Effective Lumens
 Flood Beam



9.5" EW0330
 Clear
 12 LEDs
 12-24 VDC
 0.2 Amps
 300 Raw Lumens
 300 Effective Lumens
 Flood Beam



9.5" EW0331
 Frost
 45 LEDs
 12 VDC
 0.2 Amps
 200 Raw Lumens
 150 Effective Lumens
 Flood Beam



12" EW0340
 Clear
 16 LEDs
 12-24 VDC
 0.3 Amps
 350 Raw Lumens
 350 Effective Lumens
 Flood Beam



12" EW0341
 Frost
 60 LEDs
 12 VDC
 0.3 Amps
 300 Raw Lumens
 250 Effective Lumens
 Flood Beam



Connect multiple units together



14" EW0351
 Frost
 16 LEDs
 12 VDC
 0.5 Amps
 300 Raw Lumens
 250 Effective Lumens
 Flood Beam



EW0400 Series

These heavy-duty surface mount LED interior lights feature aluminium housings and frosted lenses designed for optimum light diffusion. Suited to a wide variety of interior applications these lights are available in three length options and with or without integrated on/off switch and door control (operated via trigger wire).

Surface mount (hardware included)

Rugged, heavy-duty design

Aluminium housing with frosted lens

On/off and door switch feature (EW0410/411/412 only)

CE, R10, RoHS, IP64

ACCESSORIES

EZ0120

PIR Motion Sensor - 110° cone, adjustable sensitivity (automatically activates light when human movement is detected)



DIMENSIONS DIMENSIONES

EW0400 / 410: 2 [51] H x 5.4 [137] W x 0.5 [13] D
 EW0401 / 411: 2 [51] H x 11.8 [300] W x 0.5 [13] D
 EW0402 / 412: 2 [51] H x 17.7 [450] W x 0.5 [13] D

5.5"



EW0400

10 LEDs
 12-24 VDC
 0.4 Amps
 200 Raw Lumens
 200 Effective Lumens
 Flood Beam

SWITCHED

EW0410

10 LEDs
 12-24 VDC
 0.4 Amps
 200 Raw Lumens
 200 Effective Lumens
 Flood Beam

12"



EW0401

22 LEDs
 12-24 VDC
 0.7 Amps
 450 Raw Lumens
 450 Effective Lumens
 Flood Beam

SWITCHED

EW0411

22 LEDs
 12-24 VDC
 0.7 Amps
 450 Raw Lumens
 450 Effective Lumens
 Flood Beam

18"



EW0402

32 LEDs
 12-24 VDC
 1.2 Amps
 650 Raw Lumens
 600 Effective Lumens
 Flood Beam

SWITCHED

EW0412

32 LEDs
 12-24 VDC
 1.2 Amps
 650 Raw Lumens
 600 Effective Lumens
 Flood Beam





EW0500 Series

These super thin flat-panel LED interior lights are ideal for use in a wide variety of applications, particularly where a high-output light is required but space is limited. Surface mounted with concealed fasteners these 12-24V lights feature aluminium housings, frosted lenses and on/off switches.

Flat-panel light with switch

Surface mount with concealed fasteners (hardware included)

Aluminium housing with frosted lens

CE, R10, RoHS

ACCESSORIES

EZ0120

PIR Motion Sensor - 110° cone, adjustable sensitivity (automatically activates light when human movement is detected)



DIMENSIONS


EW0500: 3.5 [89] H x 7 [178] W x 0.5 [13] D


EW0501: 5.7 [145] H x 7 [178] W x 0.5 [13] D


EW0502: 3.5 [89] H x 18.3 [465] W x 0.5 [13] D


EW0503: 5.7 [145] H x 14.8 [376] W x 0.5 [13] D




7" EW0500
 42 LEDs
 12-24 VDC
 0.5 Amps
 250 Raw Lumens
 200 Effective Lumens
 Flood Beam


7" EW0501
 42 LEDs
 12-24 VDC
 0.5 Amps
 350 Raw Lumens
 350 Effective Lumens
 Flood Beam


18" EW0502
 138 LEDs
 12-24 VDC
 0.9 Amps
 400 Raw Lumens
 350 Effective Lumens
 Flood Beam


15" EW0503
 108 LEDs
 12-24 VDC
 0.8 Amps
 600 Raw Lumens
 550 Effective Lumens
 Flood Beam





EW0600 Series

These high-output LED interior lights are ideal for illuminating large spaces such as van cargo areas with up to 4800 lumens of light intensity. Each model is switched, operates on 12V or 24V systems and surface mounts with concealed fasteners.

High-output switched light ideal for large spaces

Surface mount with concealed fasteners (hardware included)

Aluminium housing

CE, RoHS

ACCESSORIES

EZ0120

PIR Motion Sensor - 110° cone, adjustable sensitivity (automatically activates light when human movement is detected)



DIMENSIONS

EW0600: 4 [102] H x 18 [460] W x 1.1 [28] D
EW0601: 4 [102] H x 25 [635] W x 1.1 [28] D
EW0602: 4 [102] H x 33 [860] W x 1.1 [28] D



18" EW0600
96 LEDs
12-24 VDC
1.7 Amps
2000 Raw Lumens
1900 Effective Lumens
Flood Beam



25" EW0601
144 LEDs
12-24 VDC
2.7 Amps
3700 Raw Lumens
3600 Effective Lumens
Flood Beam



33" EW0602
192 LEDs
12-24 VDC
3.6 Amps
4900 Raw Lumens
4800 Effective Lumens
Flood Beam



EW0700 Series

Available in two length options these heavy-duty LED cargo/work area lights feature pivoting mounting feet that allow the angle of light output to be adjusted. Each unit has an integrated on/off switch, aluminium housing and operates on both 12V and 24V systems.

Heavy-duty switched cargo / work area light

Pivot-mounting foot provides adjustable lighting angles

Surface mount (hardware included)

Aluminium housing

CE, RoHS

ACCESSORIES

EZ0120

PIR Motion Sensor - 110° cone, adjustable sensitivity (automatically activates light when human movement is detected)



DIMENSIONS

EW0700: 1.8 [46] H x 13 [330] W x 2 [51] D

EW0701: 1.8 [46] H x 21.5 [546] W x 2 [51] D



13" EW0700
 6 LEDs
 12-24 VDC
 0.5 Amps
 400 Raw Lumens
 350 Effective Lumens
 Flood Beam



22" EW0701
 12 LEDs
 12-24 VDC
 0.9 Amps
 1250 Raw Lumens
 1200 Effective Lumens
 Flood Beam



Worldwide leader in
commercial and emergency
vehicle warning and safety products

www.eccosafetygroup.com

Distributed by:



Unit 1, Coal Road, Leeds, LS14 2AL, UK
+44 (0)113 237 5340 | europe@eccogroup.com | www.eccosafetygroup.com

A Division of ESG | www.eccosafetygroup.com

© 2016 Electronic Controls Company
INTLIGHTING2016 (316 - 25K)