

electraQuip

Warning Lamps, Lightbars & Beacons

RANGE OVERVIEW



T: +44 (0)121 313 2222

E: sales@ledautolamps-uk.com

LED Autolamps Europe LLP
Unit 8J Maybrook Business Park
Minworth
Sutton Coldfield
B76 1AL
United Kingdom

ledautolamps-uk.com

Clear polycarbonate lens



High-brightness LEDs

Super low-profile housing design

LPR SERIES

Low-Profile Warning Lamps

- Flat housing design
- Safe and secure fixture with the 3M™ adhesive backing tape system and screw mounting



12/24V

R10

R65



Part#

LPR656DVA (Amber), **LPR656DVB** (Blue)

6-LED Low-Profile Warning Lamp - R65

- 12/24V • IP67 • Super flat profile - only 7mm
- 19 flash patterns • Synchronise up to 20 lamps
- Mount using screws or 3M™ backing tape
- 2 year warranty • Dimensions: 131 x 30 x 7mm

12/24V

R10

R65



Part#

LPR654DVA (Amber), **LPR654DVB** (Blue)

4-LED Low-Profile Warning Lamp - R65

- 12/24V • IP67 • Super flat profile - only 8mm
- 11 flash patterns • Synchronise up to 20 lamps
- Mount using screws or 3M™ backing tape
- 2 year warranty • Dimensions: 89 x 30 x 8mm

12/24V

R10

R65



Part#

LPR653DVA (Amber), **LPR653DVB** (Blue)

3-LED Low-Profile Warning Lamp - R65

- 12/24V • IP67 • Super flat profile - only 8mm
- 11 flash patterns • Synchronise up to 20 lamps
- Mount using screws or 3M™ backing tape
- 2 year warranty • Dimensions: 89 x 30 x 8mm

12/24V

R10



Part# **LPR104DVA** (Amber), **LPR104DVB** (Blue),
LPR104DVR (Red), **LPR104DVW** (White)

4-LED Low-Profile Warning Lamp

- 12/24V • IP67 • Super flat profile - only 7mm
- 11 flash patterns • Synchronise up to 20 lamps
- Mount using screws or 3M™ backing tape
- 2 year warranty • Dimensions: 131 x 30 x 7mm

12/24V

R10



Part#

LPR654DVR (Red), **LPR654DVW** (White)

4-LED Low-Profile Warning Lamp

- 12/24V • IP67 • Super flat profile - only 8mm
- 11 flash patterns • Synchronise up to 20 lamps
- Mount using screws or 3M™ backing tape
- 2 year warranty • Dimensions: 89 x 30 x 8mm

12/24V

R10



Part# **LPR103DVA** (Amber), **LPR103DVB** (Blue),
LPR103DVR (Red), **LPR103DVW** (White)

3-LED Low-Profile Warning Lamp

- 12/24V • IP67 • Super flat profile - only 8mm
- 11 flash patterns • Synchronise up to 20 lamps
- Mount using screws or 3M™ backing tape
- 2 year warranty • Dimensions: 89 x 30 x 8mm



SLED SERIES



Slimline Warning Lamps

- Slim, compact design
- Extremely durable aluminium housing
- Super high-brightness LEDs
- ECE R65 approved
- Hi/low power function

12/24V R10 R65

12/24V R10 R65

12/24V R10 R65



Part#
SLED6DVAR65 (Amber), **SLED6DVBR65** (Blue)

6-LED Slimline Warning Lamp - R65

- 12/24V • IP67 • Robust aluminium housing
- 8 flash patterns • Synchronise up to 20 lamps
- 2 year warranty
- Dimensions: 122 x 24 x 15mm

Part# **SLED4DVAR65** (Amber),
SLED4DVBR65 (Blue), **SLED4DVRR65** (Red),
SLED4DVW (White - R10-only)

4-LED Slimline Warning Lamp - R65

- 12/24V • IP67 • Robust aluminium housing
- 8 flash patterns • Synchronise up to 20 lamps
- 2 year warranty • Dimensions: 89 x 24 x 15mm

Part# **SLED3DVAR65** (Amber),
SLED3DVBR65 (Blue), **SLED3DVRR65** (Red),
SLED3DVW (White - R10-only)


3-LED Slimline Warning Lamp - R65

- 12/24V • IP67 • Robust aluminium housing
- 6 flash patterns • Synchronise up to 20 lamps
- 2 year warranty • Dimensions: 79 x 24 x 15mm

HD SERIES

Heavy-Duty Warning Lamps


- 12/24V Multivolt • Heavy-duty clear polycarbonate lens
- ECE R65 class 2 approved • ECE R10 approved
- Synchronise up to 10 units • IP67 ingress protection
- 5 year warranty



12/24V R10 R65

12/24V R10 R65

12/24V R10 R65



Part#
HDR6524DVA (Amber)

24-LED Heavy-Duty Warning Lamp - R65

- 12/24V • IP67 ingress protection
- 26 flash patterns • Synchronise up to 10 lamps
- 5 year warranty
- Dimensions: 150 x 103 x 13mm

Part#
HDR6512DVA (Amber)

12-LED Heavy-Duty Warning Lamp - R65

- 12/24V • IP67 ingress protection
- 26 flash patterns • Synchronise up to 10 lamps
- 5 year warranty
- Dimensions: 150 x 55 x 13mm

Part#
HDR656DVA (Amber)

6-LED Heavy-Duty Warning Lamp - R65

- 12/24V • IP67 ingress protection
- 21 flash patterns • Synchronise up to 10 lamps
- 5 year warranty
- Dimensions: 157 x 36 x 13mm

SSLED SERIES

Super-Slim Warning Lamps

- 12/24V Multivolt • Slim, low-profile design
- Rubber mounting grommet
- 150° wide angle lens



12/24V

R10


 Part# **SSLED3DVA** (Amber), **SSLED3DVB** (Blue),
SSLED3DVR (Red), **SSLED3DVW** (White)

3-LED Super-Slim Warning Lamp

- 12/24V • IP67 • Slim 11mm profile • 11 flash patterns
- Synchronise up to 10 units • 150° wide angle • 5 year warranty
- Dimensions: 90 x 29 x 11mm

12/24V

R10

R65


 Part# **SSLED4DVAR65** (Amber),
SSLED4DVBR65 (Blue)

4-LED Super-Slim Warning Lamp - R65

- 12/24V • IP67 • Slim 11mm profile • 21 flash patterns
- Synchronise up to 10 units • 150° wide angle • 5 year warranty
- Dimensions: 110 x 29 x 11mm

12/24V

R10


 Part# **SSLED4DVA** (Amber), **SSLED4DVB** (Blue),
SSLED4DVR (Red), **SSLED4DVW** (White)

4-LED Super-Slim Warning Lamp

- 12/24V • IP67 • Slim 11mm profile • 21 flash patterns
- Synchronise up to 10 units • 150° wide angle • 5 year warranty
- Dimensions: 110 x 29 x 11mm

12/24V

R10

R65


 Part#
SSLED6DVAR65 (Amber)

6-LED Super-Slim Warning Lamp - R65

- 12/24V • IP67 • Slim 11mm profile • 21 flash patterns
- Synchronise up to 10 units • 150° wide angle • 5 year warranty
- Dimensions: 150 x 29 x 11mm

12/24V

R10


 Part#
SSLED6DVA (Amber)

6-LED Super-Slim Warning Lamp

- 12/24V • IP67 • Slim 11mm profile • 21 flash patterns
- Synchronise up to 10 units • 150° wide angle • 5 year warranty
- Dimensions: 150 x 29 x 11mm

12/24V

R10

R65


 Part#
SSLED62DVAR65 (Amber)

6-LED Super-Slim Warning Lamp - R65

- 12/24V • IP67 • Slim 11mm profile • 11 flash patterns
- Synchronise up to 10 units • 150° wide angle • 5 year warranty
- Dimensions: 90 x 48 x 11mm

12/24V

R10


 Part#
SSLED62DVA (Amber)

6-LED Super-Slim Warning Lamp

- 12/24V • IP67 • Slim 11mm profile • 11 flash patterns
- Synchronise up to 10 units • 150° wide angle • 5 year warranty
- Dimensions: 90 x 48 x 11mm

12/24V

R10

R65


 Part#
SSLED93DVAR65 (Amber)

9-LED Super-Slim Warning Lamp - R65

- 12/24V • IP67 • Slim 11mm profile • 21 flash patterns
- Synchronise up to 10 units • 150° wide angle • 5 year warranty
- Dimensions: 90 x 67 x 11mm

12/24V

R10


 Part#
SSLED93DVA (Amber)

9-LED Super-Slim Warning Lamp

- 12/24V • IP67 • Slim 11mm profile • 21 flash patterns
- Synchronise up to 10 units • 150° wide angle • 5 year warranty
- Dimensions: 90 x 67 x 11mm

12/24V

R10



Part# **LED3DVA** (Amber), **LED3DVB** (Blue),
LED3DVR (Red), **LED3DVW** (White)

3-LED Warning Lamp

- 12/24V • IP67 ingress protection
- 12 flash patterns • Synchronise up to 10 lamps
- 5 year warranty
- Dimensions: 95 x 34 x 22mm

12/24V

R10



Part# **LED8DVA** (Amber), **LED8DVB** (Blue),
LED8DVR (Red), **LED8DVW** (White)

8-LED Warning Lamp

- 12/24V • IP67 ingress protection
- 26 flash patterns • Synchronise up to 10 lamps
- 5 year warranty
- Dimensions: 110 x 50 x 28mm

12/24V

R10



Part# **LED4DVA** (Amber), **LED4DVB** (Blue),
LED4DVR (Red), **LED4DVW** (White)

4-LED Warning Lamp

- 12/24V • IP67 ingress protection
- 25 flash patterns • Synchronise up to 10 lamps
- 5 year warranty
- Dimensions: 139 x 37 x 28mm

12/24V

R10

R65



Part#
LED4DVAR65 (Amber)

4-LED Warning Lamp - R65

- 12/24V • IP67 ingress protection
- 22 flash patterns • Synchronise up to 12 lamps
- 5 year warranty
- Dimensions: 139 x 37 x 28mm

12/24V

R10



Part#
LED4DVA180 (Amber), **LED4DVB180** (Blue),
LED4DVR180 (Red), **LED4DVW180** (White)

4-LED 180° Warning Lamp

- 12/24V • IP67 • 180° wide angle lens
- 25 flash patterns • Synchronise up to 10 lamps
- 5 year warranty • Dimensions: 136 x 42 x 27mm

12/24V

R10



Part#
LED3DVA180 (Amber), **LED3DVB180** (Blue),
LED3DVR180 (Red), **LED3DVW180** (White)

3-LED 180° Warning Lamp

- 12/24V • IP67 • 180° wide angle lens
- 12 flash patterns • Synchronise up to 10 lamps
- 5 year warranty • Dimensions: 111 x 37 x 23mm

12/24V

R10

R65



Part#
LED3DVAR65 (Amber)


3-LED Warning Lamp - R65

- 12/24V • IP67 ingress protection
- 16 flash patterns • 3 year warranty
- Dimensions: 99 x 41 x 29mm

12/24V

R10

R65




Part#

HALED6DVAR65 (Amber)**Recess Mount Hideaway Warning Lamp - R65**

- 12/24V • IP67 • Discreet 'hideaway' design
- 13 flash patterns • Synchronise up to 8 lamps
- 5 year warranty
- Dimensions: 35 x 32mm

12/24V

R10


Removable bezel for
concealed fittingPart# **HALED6DVA** (Amber),**HALED6DVB** (Blue), **HALED6DVR** (Red),**HALED6DVW** (White), **HALED6DVG** (Green)**Hideaway Warning Lamp**

- 12/24V • IP67 • Concealed or surface mountable
- 12 flash patterns • Synchronise up to 10 lamps • 5 year warranty
- Lens diameter: Ø25mm • Dimensions: Ø50 x 26mm

12/24V

R10

R65



Part#

EQ590AR65 (Amber)**Wide Angle Corner LED Warning Lamp - R65**

- 12/24V • IP67 • 120° wide angle light spread • 10 flash patterns
- Synchronise multiple units • 'L' bracket included • Ideal for corner mounting
- 3 year warranty • Dimensions: 177 x 56 x 41mm

• L-shaped bracket included



12/24V

R10

Part# **LED4DDVA** (Amber), **LED4DDVB** (Blue),
LED4DDVR (Red), **LED4DDVW** (White)**4-LED Dash Light**

- 12/24V • IP67 • Suction pad mounting
- 21 flash patterns • Cigar plug included
- Easy to use controls and function display on rear
- 5 year warranty • Dimensions: 165 x 133 x 50mm

12/24V

R10

Part# **LED8DDVA** (Amber), **LED8DDVB** (Blue),
LED8DDVR (Red), **LED8DDVW** (White),
LED8DDVAB (Amber/Blue), **LED8DDVR/B** (Red/Blue)**8-LED Dash Light**

- 12/24V • IP67 • Suction pad mounting • 28 flash patterns
- Cigar plug included • Easy to use controls and function display on rear
- 5 year warranty • Dimensions: 246 x 165 x 50mm



MLB SERIES
LED Minibars

- 12/24V Multivolt
- Compact and lightweight minibar design
- Clear polycarbonate lens
- High-brightness amber LEDs
- Available in single-bolt or magnetic-mount versions

12/24V R10 R65



Part#
MLB246R65ABM (R65), MLB246R10ABM (R10)

Single-Bolt LED Minibar - Amber

- 12/24V • IP65 • Low profile design • Easy-fit hollow-bolt cable fixing
- 18 flash patterns including single, double, triple and quad
- 360° visibility • Tough polycarbonate lens and housing
- Dimensions: 246 x 172 x 64mm

12/24V R10 R65



Part#
MLB246R65ABM-VM (R65), MLB246R10ABM-VM (R10)

Magnetic Mount LED Minibar - Amber

- 12/24V • IP65 • Low profile design • 3m cable with cigar plug
- 18 flash patterns including single, double, triple and quad
- 360° visibility • Tough polycarbonate lens and housing
- Dimensions: 246 x 172 x 49mm

12/24V R10 R65



Part#
MLB380R65ABM (R65), MLB380R10ABM (R10)

Single-Bolt LED Minibar - Amber

- 12/24V • IP65 • Low profile design • Easy-fit hollow-bolt cable fixing
- 18 flash patterns including single, double, triple and quad
- 360° visibility • Tough polycarbonate lens and housing
- Dimensions: 380 x 172 x 64mm

12/24V R10 R65



Part#
MLB380R65ABM-VM (R65), MLB380R10ABM-VM (R10)

Magnetic Mount LED Minibar - Amber

- 12/24V • IP65 • Low profile design • 3m cable with cigar plug
- 18 flash patterns including single, double, triple and quad
- 360° visibility • Tough polycarbonate lens and housing
- Dimensions: 380 x 172 x 49mm

12/24V

R10

R65



Part# R65 APPROVED:

EQBT251R65A (Single-Bolt), EQBT251R65A-MM (Magnetic Mount)

Part# R10 APPROVED:

EQBT251R10A (Single-Bolt), EQBT251R10A-MM (Magnetic Mount)

LED Minibar - R65

- 12/24V • IP67 • 2 year warranty
- 18 flash patterns (R65) • 9 flash patterns (R10)
- Single-bolt: Easy-fit hollow-bolt cable fixing
- Magnetic Mount: 3m cable with cigar plug
- Dimensions: 251 x 150 x 65mm (Single-bolt), 251 x 150 x 57mm (Mag-Mount)

12/24V

R10

R65



Part#

EQBT417R65A (Single-Bolt), EQBT417R65A-MM (Magnetic Mount)


LED Minibar - R65

- 12/24V • IP67 • 2 year warranty
- 18 flash patterns, including rotating, single, and quad
- Single-bolt: Easy-fit hollow-bolt cable fixing
- Magnetic Mount: 3m cable with cigar plug
- Dimensions: 417 x 150 x 65mm (Single-bolt), 417 x 150 x 57mm (Mag-Mount)

EQBT SERIES

R65 Approved LED Lightbars

- 12/24V multivolt
- Super-clear lens optics for intense, long-distance light output
- Impact resilient black polycarbonate housing cover
- Fully waterproof - IP67 ingress protection
- ECE R65 approved
- ECE R10 approved



Fully encapsulated lighting modules featuring high-intensity amber LEDs

High-stability 4-point pressed steel mounting brackets with integrated lanyard points - fixings and gaskets included

Specification options**Fully populated**

- Total illumination in all modules
- Highly effective 360° visibility

**Ends-only populated**

- Illumination occurs only in the end modules
- Highly effective 360° visibility
- Offers a great value alternative to fully populated lightbars



12/24V R10 R65



Part#
EQBT621R65A (Fully-populated)

3-Module LED Lightbar - R65

- 12/24V • IP67 ingress protection • 4-point steel mounting brackets (adjustable width) • 10 flash patterns, including rotating, single, and quad (R65)
- 2 year warranty • Dimensions: 621 x 206 x 85mm

12/24V R10 R65




Part#
EQBT862R65A (Fully-populated), **EQBT862R65A-EO** (Ends-only)

4-Module LED Lightbar - R65

- 12/24V • IP67 ingress protection • 4-point steel mounting brackets (adjustable width) • Fully-populated: 10 flash patterns, including rotating, single, and quad (R65)
- Ends-only: 8 flash patterns, including single, double, triple, and quad (R65) • 2 year warranty • Dimensions: 862 x 206 x 85mm

12/24V R10 R65



Part#
EQBT1103R65A (Fully-populated), **EQBT1103R65A-EO** (Ends-only)

5-Module LED Lightbar - R65

- 12/24V • IP67 ingress protection • 4-point steel mounting brackets (adjustable width) • Fully-populated: 10 flash patterns, including rotating, single, and quad (R65)
- Ends-only: 8 flash patterns, including single, double, triple, and quad (R65) • 2 year warranty • Dimensions: 1103 x 206 x 85mm

12/24V R10 R65



Part#
EQBT1345R65A (Fully-populated), **EQBT1345R65A-EO** (Ends-only)

6-Module LED Lightbar - R65

- 12/24V • IP67 ingress protection • 4-point steel mounting brackets (adjustable width) • Fully-populated: 10 flash patterns, including rotating, single, and quad (R65)
- Ends-only: 8 flash patterns, including single, double, triple, and quad (R65) • 2 year warranty • Dimensions: 1345 x 206 x 85mm

12/24V R10 R65



Part#
EQBT1586R65A (Fully-populated), **EQBT1586R65A-EO** (Ends-only)


7-Module LED Lightbar - R65

- 12/24V • IP67 ingress protection • 4-point steel mounting brackets (adjustable width) • Fully-populated: 10 flash patterns, including rotating, single, and quad (R65)
- Ends-only: 8 flash patterns, including single, double, triple, and quad (R65) • 2 year warranty • Dimensions: 1586 x 206 x 85mm

12/24V

R10

R65



Part#

EQPLB356R65AM**Single-Bolt LED Minibar - R65**

- 12/24V • Amber LED, clear lens • 36W - 54x high-brightness LEDs
- 19 flash patterns including single, double, quad, alternate • Highly durable clear polycarbonate lens
- Easy-fit hollow-bolt cable fixing • 3 year warranty • Dimensions: 356 x 210 x 85mm

EQPLB SERIES

R65 Approved LED Lightbars

- 12/24V Multivolt
- Clear polycarbonate lens
- ECE R65 and R10 approved
- 19 selectable flash patterns, including; single, double, quad and alternate flash
- High-stability 4-point mounting feet
- 3 year warranty



Clear 'crystal top' polycarbonate lens and super-clean optics for a high-intensity LED output

High-stability 4-point pressed steel mounting brackets with integrated lanyard points - fixings and gaskets included

12/24V

R10

R65

744mm / 2' 4"



Part#

EQPLB744R65AM

3-Module LED Lightbar - R65

- 12/24V • Amber LED, clear lens • 72W - 72x high-brightness LEDs • 4-point steel mounting brackets (adjustable width)
- 19 flash patterns including single, double, quad, alternate • 3 year warranty • Dimensions: 744 x 210 x 85mm

12/24V

R10

R65

964mm / 3' 2"



Part#

EQPLB964R65AM

4-Module LED Lightbar - R65

- 12/24V • Amber LED, clear lens • 90W - 90x high-brightness LEDs • 4-point steel mounting brackets (adjustable width)
- 19 flash patterns including single, double, quad, alternate • 3 year warranty • Dimensions: 964 x 210 x 85mm

12/24V

R10

R65

1185mm / 3' 9"



Part#

EQPLB1185R65AM

5-Module LED Lightbar - R65

- 12/24V • Amber LED, clear lens • 108W - 108x high-brightness LEDs • 4-point steel mounting brackets (adjustable width)
- 19 flash patterns including single, double, quad, alternate • 3 year warranty • Dimensions: 1185 x 210 x 85mm

EQPR SERIES

LED Warning Beacons
Polycarbonate Base

- 12/24V multivolt
- Polycarbonate lens
- Quad and double flash
- R65 approved
- IP67 ingress protection
- R10-only versions available
- 3 year warranty
- Alternative colours available
- Separate mounting base accessories available

12/24V

R10

R65



Part#

EQPR65ABM (R65 - Amber)
EQPR10ABM (R10 - Amber)
Three-Bolt Warning Beacon

- Dimensions: Ø148 x 120mm

12/24V

R10

R65



Part#

EQPR65ABM-SB (R65 - Amber)
EQPR10ABM-SB (R10 - Amber)
Single-Bolt Warning Beacon

- Dimensions: Ø148 x 180mm

12/24V

R10

R65



Part#

EQPR65ABM-MM (R65 - Amber)
EQPR10ABM-MM (R10 - Amber)
Magnetic-Mount Warning Beacon

- Cigar plug and 3.5m cable
- Dimensions: Ø187 x 180mm

12/24V

R10

R65



Part#

EQPR65ABM-DM (R65 - Amber)
EQPR10ABM-DM (R10 - Amber)
DIN-Mount Warning Beacon

- Dimensions: Ø148 x 175mm

12/24V

R10

R65



Part#

EQPR65ABM-FD (R65 - Amber)
EQPR10ABM-FD (R10 - Amber)
Flexible-DIN Warning Beacon

- Dimensions: Ø148 x 207mm



Part#

EQPR10BBM
 (R10 - Blue)
**Three-Bolt
Warning Beacon**

Part#

EQPR10RBM
 (R10 - Red)
**Three-Bolt
Warning Beacon**

Part#

EQPR10GBM
 (R10 - Green)
**Three-Bolt
Warning Beacon**

Part#

EQPR10GBM-DM
 (R10 - Green)
**DIN-Mount
Warning Beacon**

Part#

EQPR10GBM-FD
 (R10 - Green)
**Flexible-DIN
Warning Beacon**

Part#

EQPR10GBM-SB
 (R10 - Green)
**Single-Bolt
Warning Beacon**

EQR SERIES

LED Warning Beacons
Alloy Base

- 12/24V multivolt
- Polycarbonate lens
- Quad and rotating flash
- R65 approved
- IP67 ingress protection
- 3 year warranty
- Alternative colours available
- Separate mounting base accessories available

12/24V

R10

R65



Part#
EQR65ABM (R65 - Amber)


Three-Bolt Warning Beacon

- Dimensions: Ø148 x 120mm

12/24V

R10

R65



Part#
EQR65BBM (R65 - Blue)

Three-Bolt Warning Beacon

- Dimensions: Ø148 x 120mm

12/24V

R10



Part#
EQR65RBM (R10 - Red)

Three-Bolt Warning Beacon

- Dimensions: Ø148 x 120mm

12/24V

R10



Part#
EQR65GBM (R10 - Green)

Three-Bolt Warning Beacon

- Dimensions: Ø148 x 120mm


Warning Beacon
Mounting Accessories

- Suitable for EQPR, EQR65, and LPB Series beacons
- Easy to fit - simply screw the beacon to the base using the fixings provided



Part#
EQR65-DM

DIN-Mount Accessory Kit



Part#
EQR65-MM

Magnetic-Mount Accessory Kit

- 3.5m cable and cigar plug



Part#
EQR65-SB

Single-Bolt Mounting Accessory Kit



Part#
EQR65-FD

Flexible-DIN Mounting Accessory Kit


LPB SERIES
LED Warning Beacons

- Polycarbonate base
- Polycarbonate lens
- 12/24V multivolt
- IP67 ingress protection
- 5 flash patterns including; single, quad, and rotating
- R65 approved
- 3 year warranty
- Separate mounting base accessories available

12/24V

R10

R65



Part#

LPBR65A (Amber Lens)

Three-Bolt Low-Profile Amber Warning Beacon

- Dimensions: Ø148 x 55mm

12/24V

R10

R65



Part#

LPBR65A-MM (Amber Lens)

Magnetic-Mount Low-Profile Amber Warning Beacon

- Dimensions: Ø148 x 55mm

12/24V

R10

R65



Part#

LPBR65C (Clear Lens)

Three-Bolt Low-Profile Amber Warning Beacon

- Dimensions: Ø148 x 55mm

12/24V

R10

R65



Part#

LPBR65C-MM (Clear Lens)

Magnetic-Mount Low-Profile Amber Warning Beacon

- Dimensions: Ø148 x 55mm



Alternative mounting base
 accessory kits available.
 See page 12 for details

Extended
Voltage

R10

R65



Part#



MB12AME (10-110V), **MB12AM-1** (10-48V)

Mini Amber Warning Beacon - R65

- Extended voltage ranges; 10-110V or 10-48V • IP67 • Compact design • 2-bolt fixing
- Alloy base • 120-240fpm • 3 year warranty • Dimensions: Ø96 x 64mm

Extended
Voltage

R10



Part#

117AMF

Compact Amber Warning Beacon

- 10-110V • IP69K jet wash resistant • Compact narrow design • 2-bolt fixing
- Single, double, and quad flash • 5 year warranty • Dimensions: 112 x 73 x 117mm

12/24V

R10

R65



Part#

EQ144R65AM

Compact Amber Warning Beacon - R65

- 12/24V • IP67 ingress protection • 15 flash patterns
- 3 year warranty • Dimensions: Ø144 x 91mm

Extended
 Voltage

R10


 Powerful magnetic mounting
 base with 2m coiled cable
 and cigar plug


Part#

128AMM (Amber)
Magnetic-Mount Compact Warning Beacon

- 10-48V • IP67 ingress protection
- Quad flash • 2m cable with cigar plug
- 3 year warranty
- Dimensions: Ø130 x 97mm

 Extended
 Voltage

R10



Part#

128AMF (Amber), **128BMF** (Blue), **128GMF** (Green), **128RMF** (Red)

Three-Bolt Fixed Mount Compact Warning Beacon

- 10-48V extended voltage • IP67 ingress protection • Three-bolt fixed mounting base
- Quad flash • 3 year warranty • Dimensions: Ø130 x 97mm

T: +44 (0)121 313 2222

E: sales@ledautolamps-uk.com

 LED Autolamps Europe LLP
 Unit 8J Maybrook Business Park
 Minworth
 Sutton Coldfield
 B76 1AL
 United Kingdom

ledautolamps-uk.com